Missouri

层高：2.3876m
面积：108.7㎡

Total hight 2.3876m



1:10

EVOX G³ Next-Gen Easy Upgrade, Home Heating Reform

Easy to Install & Fit in Different Spaces

- Latching Modular Design
- 6-Way Installation
- One-man Operation
- No Coil Reconfiguration for Different Installation Styles



Easy to Replace Gas Furnaces

Same Width, Multi-Voltage

14.5"-21.5"
Same Width as the
Gas Furnace of the Same Capacity

115V & 208/230V
One Unit with Multi-voltage

G³ "Easy" Features

- Compatible with 485 or 24V
- Computational Constant Airflow 2.0
  Provides Consistent Airflow Up to 1.0 in. W.C.
- Filtration Module Compatible with 1" to 4" Filters
- OTA & iCheck Functions
- Demand Response Capability
- Optional 3-stage Auxiliary Heat Kit
- Wireless Communication

Full Product Line Exceeds CEE Advanced Tier



-13°F / -25°C
100% Heating Output with COP up to 1.9

-22°F / -30°C
Continuous Operation down to -22°F/-30°C

27%
Reduction in Height
*As the same capacity as double-fan ODU





Heat Pump Water Heater

Eligible for All Major Incentive & Rebates



Up to 75% Annual Energy Savings

750*1900

1:10

50-3/8"(W) 13-1/4"(D) 9"(H)

Ducted & Ductless Compatible Multi-Zone System

750*1900

Midea Extreme Heat Pump

1.5-5 Tons

- Power Up to 6 Zones
- Up to 25.2 SEER2
- Cold Climate Heating Down to -22°F

952*414*1333

50-3/8"(W) 13-1/4"(D) 9"(H)

IN-Cassette

0.5-1.5 Tons

- Built-In Design
  Fits into both current and future joist standards
- Elevation Panel
  Easier to clean air filter
- Two Way Installation
  Hang up & screw in

Console

0.75-1.5 Tons

Two Way Installation

65.3% Larger Upper Air Outlet*
94.1% Larger Lower Air Outlet*
*Compared to the last generation Midea Console unit.

Air Handler

1.5-3 Tons

Incorporating an up to 3-ton AHU into the multi-zone system

The system's Versatility makes it applicable across a wider range of scenarios and conditions, allowing homeowners to keep their ducted system while adding ductless units for additional climate control.

965*319*240

All Easy Pro

0.5-3 Tons SEER2 Up To 35.1

Ultra High Efficiency

Intelligent Sensor
Advanced humidity control maintains a stable room temperature Step out for over 30 minutes and the system will automatically lower operating frequency to conserve energy

Slim Duct

0.75-5 Tons SEER2 Up To 20.2

9.65 Inches Height (3Ton Model)

Computational Constant Airflow Technology
Ensures constant airflow within 0.8" static pressure

980*415*975

1:10

Midea Communicating Thermostat

High Wall Split Systems

971*240*321

3”

32”

Wide Capacity Range for Different Spaces



883*346*555

斜亚克力立牌

Midea Communicating Thermostat

Sleek, Smart, Simple

- 4" touchscreen with user-friendly interface
- Simple push-in wire terminals
- Over-the-air update technology (OTA) for future comfort enhancements
- Compatible with 24V HVAC systems

*Under development

Intuitive Smart Integration
It's simple, one control does it all!



SmartHome Smart Compatible
*Planning to support in the future

matter · works with alexa · works with Google Home · Works with Apple Home



890*342*673

1:10

Midea Spearheads Building Decarbonization

Sustainable Solution Awards

AHR EXPO INNOVATION AWARDS WINNER

An Industry Partner

Air Conditioning Contractors of America(ACCA)

Midea reaches contractors directly with educational and promotional content on heat pump trends, installation practices and engineering advancements.

American Institute of Architects | Los Angeles

Midea will collaborate with the association to discover green initiatives, fostering advancements in building decarbonization and establishing benchmark examples.

Air-Conditioning, Heating, and Refrigeration Institute (AHRI)

Plumbing-Heating-Cooling Contractors—National Association (PHCC)

American Society of Heating and Air-Conditioning Engineers (ASHRAE)

Heating Air-conditioning & Refrigeration Distributors International (HARDI)

No.1 Residential Inverter Air Conditioner Company*

1st AHRI R454B High-Efficiency Product Certification

1st Energy Star Most Efficient 2020 Certified Window AC (Midea U)

*Data source: Euromonitor International (Passport Ltd.) measured using retail value RSP in USD, 2019 data, Residential Inverter Air Conditioning (Wholesale) 2019 Based on retained companies' U.S.A.C.E. Binder Associations, refer to an association's audited and unaudited shares.

Media Accolades

TWICE VIP AWARDS

Twice Vip Awards 2022 & 2023 Winner

A dominant force in the home care and cold chain industries, Twice is dedicated to customer-driven content.

THE WORLD'S 50 MOST INNOVATIVE COMPANIES OF 2023 FASTCOMPANY

Fast Company Top 10 in Manufacturing

Fast Company is a global media brand, inspiring a community of business leaders to transform society through creativity, technology and leadership. Its leading business media outlet.

Governmental Alliances

Winner of "Clean Heat for All" Challenge

Midea is designated as a primary manufacturing partner of the ACHAA challenge winner, collaborating with the U.S. Department of Energy (DOE), the Tennessee Valley Authority (TVA) and the New York State Energy Research & Development Authority (NYSERDA), to support the goals of New York State's reduction in greenhouse gas emissions from buildings by the year 2050.

Innovator of Cold Climate Heat Pump Technology

Midea is participating in the United States Department of Energy (DOE), the Environmental Protection Agency (EPA) & the Tennessee Valley Authority (TVA) collaborative effort to develop next generation of electric cold climate heat pumps as part of government initiatives emphasizing building electrification.



Cold Climate Heat Pump

952*414*1333

Exceeding Benchmarks at Lab Testing:

-15°F/-26°C 118% of rated capacity heating output with a COP of 1.92*

5°F/-15°C surpassing DOE cold climate specification of 2.4 COP*

*COP: Coefficient of Performance (COP) is a basic energy efficiency metric of a HVAC system

*Based on testing result of a Midea 3-ton system

亚克力立牌

Exceeding Benchmarks at Lab Testing:

-15°F/-26°C 118% of rated capacity heating output with a COP of 1.92*

5°F/-15°C surpassing DOE cold climate specification of 2.4 COP*

*COP: Coefficient of Performance (COP) is a basic energy efficiency metric of a HVAC system

*Based on testing result of a Midea 3-ton system

EVOX Easy Upgrade Solutions

What Makes EVOX Easy

Extreme Heating & Cooling

Functionality Down to -22°F/-30°C

Functionality Up to 122°F/50°C

100% Heating Output at 5°F/-15°C

Up to 100% Cooling Output at 110°F/43°C

High Efficiency Central Ducted Systems

Easy to Adapt

Computational Constant Airflow 2.0

- Static pressure up to 0.8" W.C.
- Adapt to different ductwork designs & filtration needs
- Up to 60 level adjustable CFM according to actual needs

Easy to Replace

BI-COMM Technology

- Compatible with 485 or 24V
- Flexible mix & match with existing equipment

980*415*975

For Single-Family Houses

Air Handler

1.5-5 Tons

SEER2 Up To 19.0 | EER2 Up To 12.5 | HSPF2 Up To 10.3

Easy to Install

Compact Sizes
Fit Various Installation Space

Four-Way Installation
Up/Down/Left/Right

622*534*1346

A-Coil

1.5-5 Tons

SEER2 Up To 17.0 | EER2 Up To 11.7

Dual Fuel

533*533*609



Easy to Install

The Most Comprehensive Size Options

Flexible Multi-Poise Design for Versatile Positioning

Easy to Enjoy

- During Winter Dual-Fuel Capability

Cold
Experience comfort and efficiency with heat pump

Freezing
Enjoy stable and continuous heating with the gas furnace as an available backup

- During Summer Efficient Cooling

Hot
Experience ultimate comfort with highly efficient and powerful cooling capabilities

1248*593*278

For Multi-Family Buildings

Ceiling-Mounted Air Handler

1.5-3 Tons

SEER2 Up To 19.0 | EER2 Up To 12.4 | HSPF2 Up To 9.9

Easy to Install

Industry-Standard Sizes
Easy to Replace the Old Unit

Potentially the Highest Static Pressure in the Industry
Sufficient Airflow Up to 0.8" w.c.

Wall-Mounted Air Handler

1.5-3 Tons

SEER2 Up To 19.3 | EER2 Up To 12.1 | HSPF2 Up To 10.8

Easy to Install

Boasts One of the Smallest Widths in the Industry
20.3"-22.0"

Two-Way Installation
Wall-mounted/Standing

515*399*927

Dual Fuel

亚克力

1:10

Midea

info

1:10

Packaged Window Heat Pump

#CleanHeat 4All Winner

- Saddle Shape with Unique Installation
- Self-Contained Condensate Management
- Wireless Mesh BACnet Capability
- Midea Smart Home Capable

5°F / -15°C
100% Heating with COP up to 2.0

-13°F / -25°C
Continuous Operation

CEER 16.2 | SEER2 19.0 | HSPF2 10.12

AHR 2024 INNOVATION AWARDS WINNER

ENERGY STAR

Packaged Window Heat Pump

#CleanHeat 4All Winner

- Saddle Shape with Unique Installation
- Self-Contained Condensate Management
- Wireless Mesh BACnet Capability
- Midea Smart Home Capable

5°F / -15°C
100% Heating with COP up to 2.0

-13°F / -25°C
Continuous Operation

CEER 16.2 | SEER2 19.0 | HSPF2

AHR 2024 INNOVATION AWARDS WINNER

ENERGY STAR